

## PROVIDER LOCATOR AGREEMENT

### Terms of Participation

Your name, address and other information that you provide to us will be used by Alkermes, Inc. ("Alkermes") and the companies working with Alkermes to provide VIVITROL patient services, pursuant to which your information may be made available to other healthcare providers, patients and consumers who wish to access your services. The Provider Locator lists three types of Healthcare Providers: Medical Management Providers, VIVITROL Injection Providers, and Psychosocial Counseling Providers. In some instances, a Healthcare Provider may be able to provide more than one of these services. In order to be included within the VIVITROL Provider Locator as one or more of these types of Healthcare Providers, you must be validly licensed (as required by state or federal law) and meet all of the criteria of the applicable Healthcare Provider type(s): **Medical Management Provider** (i.e., physicians, nurse practitioners, physician assistants): (A) Able and willing to write prescriptions for pharmaceutical products (B) Experienced in prescribing VIVITROL for the treatment of alcohol and/or opioid dependence (C) Accepting new patients, provided they meet the requirements of the Healthcare Provider's practice (i.e., accepted insurance types, etc.) (D) If and as necessary, willing and able to refer patients to other Healthcare Providers for injection of VIVITROL and the provision of psychosocial services. **VIVITROL Injection Provider** (i.e., physicians, licensed nurses, physician assistants): (A) Experienced in reconstituting and injecting VIVITROL in accordance with the FDA-approved product labeling (B) Accepting patient referrals for injection of VIVITROL, provided they meet the requirements of the Healthcare Provider's practice (i.e., accepted insurance types, etc.) (C) If and as necessary, willing and able to refer patients to other Healthcare Providers for the provision of psychosocial services or medical management. **Psychosocial Counseling Provider** (i.e., counselors): (A) Experienced in providing psychosocial support to patients treated with VIVITROL (B) Willing to accept patient referrals for the provision of psychosocial support to patients treated with VIVITROL, provided they meet the requirements of the Healthcare Provider's practice (i.e., accepted insurance types, etc.) (C) If and as necessary, willing and able to refer patients to other Healthcare Providers for medical management with VIVITROL and the injection of VIVITROL. You acknowledge that you have received, read and understood the full Prescribing Information for VIVITROL (naltrexone for extended-release injectable suspension), including the directions for administration and use of the product. You are fully and solely responsible for the quality of care to be provided at your site of care.

We may contact you by e-mail, postal mail or telephone to verify and update your profile, notify you as to any changes in eligibility criteria and assess your continued eligibility for the Provider Locator.

Alkermes, Inc. will not share your information with anyone else except as described above or as required by law. Inclusion of your name and organizational information as part of our Touchpoints Support Services does not represent, and will not necessarily result in, any endorsement, referral or recommendation by Alkermes, Inc. or Touchpoints Support Services and your agreement to be listed in the Provider Locator shall not be construed as an inducement or encouragement for the referral of patients or use of particular products. If you want to stop receiving this information, you may ask us to remove you from our contact list by calling Touchpoints Support Services at 1-800-VIVITROL (1-800-848-4876).

### PRIMARY FACILITY:

#### INPATIENT

Treatment Center  Inpatient Hospital  Detox Facility  Psychiatric Hospital  Other (specify): \_\_\_\_\_

#### OUTPATIENT

Private Practice  Group Practice  Hospital Outpatient Department  Intensive Outpatient Program (IOP)  Injection Clinic  Clinic  
 Community Mental Health Center (CMHC)  Partial Hospitalization Program (PHP)  Federally Qualified Healthcare Center (FQHC)  
 Other (specify): \_\_\_\_\_

Name of Primary Practice/Facility \_\_\_\_\_  
 Phone \_\_\_\_\_ Fax \_\_\_\_\_  
 Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Facility Website \_\_\_\_\_ DEA # \_\_\_\_\_ NPI # \_\_\_\_\_ ME # \_\_\_\_\_  
 Email \_\_\_\_\_ Best Time to Call \_\_\_\_\_

VIVITROL-Related list of Services Offered (Check all that apply. See applicable criteria for Healthcare Provider types above)

Counseling  Medical Management  VIVITROL Injection for Your Patients  VIVITROL Injection for Other Practices

Hours That Site is Available for Providing Injections: M \_\_\_\_\_ T \_\_\_\_\_ W \_\_\_\_\_ Th \_\_\_\_\_ F \_\_\_\_\_ Sat \_\_\_\_\_ Sun \_\_\_\_\_

Does this facility treat:  Alcohol Dependence  Opioid Dependence  Both

Is your practice accepting new patients for alcohol and opioid dependence treatment?  Yes  No

Accepted Insurance types:  Most private health plans, most public health plans  Most private health plans, no public health plans  
 Most public health plans, no private health plans  Limited health plan network, please contact office to learn more

### PRIMARY PROVIDER:

Name of primary provider at the above facility \_\_\_\_\_

Does the primary provider at this facility also have a secondary facility?  Yes  No (If yes, please complete side 2 of this form.)

Are there secondary providers at the above facility?  Yes  No (If yes, please complete side 2 of this form.)

**By signing the below, I hereby certify that I have read, understood and agree to comply with the terms of participation set forth above. If at any time Alkermes determines the applicable Healthcare Provider criteria are not met, Alkermes may remove my name and related facilities from this program. The undersigned is the above-named provider, or if I am signing on behalf of a facility, I certify that I am authorized to do so.**

Name/Title (please print) \_\_\_\_\_

Signature \_\_\_\_\_ Date of Signature \_\_\_\_\_

Alkermes reserves the right to alter or discontinue this program at our discretion.

### FOR ADDITIONAL PROVIDERS AND ADDITIONAL FACILITIES, PLEASE SEE PAGE 2 FOR MORE INFORMATION

Please return this form via fax to: 1-781-207-8540 or call 1-800-848-4876 with any questions.

## PROVIDER LOCATOR AGREEMENT

### ADDITIONAL PROVIDER AND FACILITY INFORMATION:

#### ADDITIONAL FACILITY:

##### INPATIENT

Treatment Center  Inpatient Hospital  Detox Facility  Psychiatric Hospital  Other (specify): \_\_\_\_\_

##### OUTPATIENT

Private Practice  Group Practice  Hospital Outpatient Department  Intensive Outpatient Program (IOP)  Injection Clinic  Clinic

Community Mental Health Center (CMHC)  Partial Hospitalization Program (PHP)  Federally Qualified Healthcare Center (FQHC)

Other (specify): \_\_\_\_\_

Name of Secondary Practice/Facility \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Facility Website \_\_\_\_\_ DEA # \_\_\_\_\_ NPI # \_\_\_\_\_ ME # \_\_\_\_\_

Email \_\_\_\_\_ Best Time to Call \_\_\_\_\_

##### VIVITROL-Related list of Services Offered (check all that apply)

Counseling  Medical Management  VIVITROL Injection for Your Patients  VIVITROL Injection for Other Practices

Hours That Site is Available for Providing Injections: M \_\_\_\_\_ T \_\_\_\_\_ W \_\_\_\_\_ Th \_\_\_\_\_ F \_\_\_\_\_ Sat \_\_\_\_\_ Sun \_\_\_\_\_

Do you have experience injecting VIVITROL?  Yes  No Will You Accept Buy and Bill?  Yes  No

Does this facility treat:  Alcohol Dependence  Opioid Dependence  Both

Is your practice accepting new patients for alcohol and opioid dependence treatment?  Yes  No

#### ADDITIONAL PROVIDER 1:

Name of secondary provider \_\_\_\_\_

Facility name of secondary provider \_\_\_\_\_

**By signing the below, I hereby certify that I have read, understood and agree to comply with the terms of participation set forth above. The undersigned is the above-named provider, or if I am signing on behalf of a facility, I certify that I am authorized to do so.**

Name/Title (please print) \_\_\_\_\_

Signature \_\_\_\_\_ Date of Signature \_\_\_\_\_

#### ADDITIONAL PROVIDER 2:

Name of secondary provider \_\_\_\_\_

Facility name of secondary provider \_\_\_\_\_

**By signing the below, I hereby certify that I have read, understood and agree to comply with the terms of participation set forth above. The undersigned is the above-named provider, or if I am signing on behalf of a facility, I certify that I am authorized to do so.**

Name/Title (please print) \_\_\_\_\_

Signature \_\_\_\_\_ Date of Signature \_\_\_\_\_

Please return this form via fax to: 1-781-207-8540 or call 1-800-848-4876 with any questions.

## IMPORTANT SAFETY INFORMATION FOR VIVITROL® (naltrexone for extended-release injectable suspension)

### INDICATIONS

VIVITROL is indicated for:

- Treatment of alcohol dependence in patients who are able to abstain from alcohol in an outpatient setting. Patients should not be actively drinking at the time of initial VIVITROL administration.
- Prevention of relapse to opioid dependence, following opioid detoxification.
- VIVITROL should be part of a comprehensive management program that includes psychosocial support.

### CONTRAINDICATIONS

VIVITROL is contraindicated in patients:

- Receiving opioid analgesics
- With current physiologic opioid dependence
- In acute opioid withdrawal
- Who have failed the naloxone challenge test or have a positive urine screen for opioids
- Who have exhibited hypersensitivity to naltrexone, polylactide-co-glycolide (PLG), carboxymethylcellulose, or any other components of the diluent

### WARNINGS/PRECAUTIONS

**Vulnerability to Opioid Overdose:** Because VIVITROL blocks the effects of exogenous opioids for approximately 28 days after administration, patients are likely to have a reduced tolerance to opioids after opioid detoxification. As the blockade dissipates, use of previously tolerated doses of opioids could result in potentially life-threatening opioid intoxication (respiratory compromise or arrest, circulatory collapse, etc). Cases of opioid overdose with fatal outcomes have been reported in patients who used opioids at the end of a dosing interval, after missing a scheduled dose, or after discontinuing treatment. Patients and caregivers should be told of this increased sensitivity to opioids and the risk of overdose.

Any attempt by a patient to overcome the VIVITROL blockade by taking opioids may lead to fatal overdose. Patients should be told of the serious consequences of trying to overcome the opioid blockade.

**Injection Site Reactions:** VIVITROL injections may be followed by pain, tenderness, induration, swelling, erythema, bruising, or pruritus; however, in some cases injection site reactions may be very severe. Injection site reactions not improving may require prompt medical attention, including, in some cases, surgical intervention. Inadvertent subcutaneous/adipose layer injection of VIVITROL may increase the likelihood of severe injection site reactions. Select proper needle size for patient body habitus, and use only the needles provided in the carton. Patients should be informed that any concerning injection site reactions should be brought to the attention of their healthcare provider.

**Precipitation of Opioid Withdrawal:** Withdrawal precipitated by administration of VIVITROL may be severe. Some cases of withdrawal symptoms have been severe enough to require hospitalization and management in the ICU. To prevent precipitated withdrawal, patients, including those being treated for alcohol dependence:

- Should be opioid-free (including tramadol) for a minimum of 7–10 days before starting VIVITROL.
- Patients transitioning from buprenorphine or methadone may be vulnerable to precipitated withdrawal for as long as two weeks.

Patients should be made aware of the risk associated with precipitated withdrawal and be encouraged to give an accurate account of last opioid use.

**Hepatotoxicity:** Cases of hepatitis and clinically significant liver dysfunction have been observed in association with VIVITROL. Warn patients of the risk of hepatic injury; advise them to seek help if experiencing symptoms of acute hepatitis. Discontinue use of VIVITROL in patients who exhibit acute hepatitis symptoms.

**Depression and Suicidality:** Alcohol- and opioid-dependent patients taking VIVITROL should be monitored for depression or suicidal thoughts. Alert families and caregivers to monitor and report the emergence of symptoms of depression or suicidality.

**When Reversal of VIVITROL Blockade Is Required for Pain Management:** For VIVITROL patients in emergency situations, suggestions for pain management include regional analgesia or use of non-opioid analgesics. If opioid therapy is required to reverse the VIVITROL blockade, patients should be closely monitored by trained personnel in a setting staffed and equipped for CPR.

**Eosinophilic Pneumonia:** Cases of eosinophilic pneumonia requiring hospitalization have been reported. Warn patients of the risk of eosinophilic pneumonia and to seek medical attention if they develop symptoms of pneumonia.

**Hypersensitivity Reactions:** Patients should be warned of the risk of hypersensitivity reactions, including anaphylaxis.

**Intramuscular Injections:** As with any IM injection, VIVITROL should be administered with caution to patients with thrombocytopenia or any coagulation disorder.

**Alcohol Withdrawal:** Use of VIVITROL does not eliminate nor diminish alcohol withdrawal symptoms.

### ADVERSE REACTIONS

Serious adverse reactions that may be associated with VIVITROL therapy in clinical use include severe injection site reactions, eosinophilic pneumonia, serious allergic reactions, unintended precipitation of opioid withdrawal, accidental opioid overdose, and depression and suicidality. The adverse events seen most frequently in association with VIVITROL therapy for alcohol dependence include nausea, vomiting, injection site reactions (including induration, pruritus, nodules, and swelling), muscle cramps, dizziness or syncope, somnolence or sedation, anorexia, decreased appetite or other appetite disorders. The adverse events seen most frequently in association with VIVITROL in opioid-dependent patients also include hepatic enzyme abnormalities, injection site pain, nasopharyngitis, insomnia, and toothache.

**PLEASE SEE [PRESCRIBING INFORMATION AND MEDICATION GUIDE](#), OR VISIT [VIVITROL.COM](#).**

**PLEASE REVIEW MEDICATION GUIDE WITH PATIENTS.**



ALKERMES and VIVITROL are registered trademarks of Alkermes, Inc.  
TOUCHPOINTS<sup>SM</sup> is a service mark of Alkermes, Inc.  
All other marks used herein are the property of their respective owners.  
©2013-2016 Alkermes, Inc.  
All rights reserved VIV-002539 Printed in U.S.A

**Vivitrol**<sup>®</sup>  
(naltrexone for extended-release injectable suspension)